

# Skyline Instruction Manual

## L Banner Curved Wall

Skyline Displays Australia Pty Ltd  
Unit 1, 31 Harvey Street North  
Eagle Farm QLD 4009


P +617 3268 7744  
F +617 3268 2020  
T 1800 077 419 (within Australia)  
E [info@skyline.com.au](mailto:info@skyline.com.au)  
W [www.skyline.com.au](http://www.skyline.com.au)

This presentation is provided commercial-in-confidence specifically for the addressee.  
It may not be distributed or shared with other parties without written permission.

©Copyright Skyline Displays Australia Pty Ltd 2015. All rights reserved.




# L Banner Curved Back Wall Display



- Display system packs into lightweight carry case

# Components of L Banner System



- 1. End Caps
- 2. L Key
- 3. Joining bar
- 4. Carry bag
- 5. Collapsible pole
- 6. Base foot
- 7. Fabric Graphic with top and bottom bar

# Installing Collapsible Pole and Foot



The 3 sections of the pole are joined together with a bungee cord. Line each end up with the next. The foot attaches with a screw extrusion turning clockwise until tight.

# Fitment of Fabric Graphic Panels

- The Fabric graphic should always be stored folded in half with each end together.
- Roll panel with graphic side on the inside and rolled up neatly without creases.
- To install, unroll onto a clean surface with the graphic face up.
- The top & bottom bars are fitted with Velcro to attach graphics. To adjust the fitting or replace the graphic simply peel away from the bar.



# Fixing the Graphic to the Pole



- Place the bottom foot into the lip of the bottom bar where the insert sticker is.
- Once in place put your foot firmly over the bar to hold in place.
- Bring top bar of graphic up to top of pole.
- Use both hands to line up with insert sticker, push up with thumbs and pushing the top of the pole into place with both forefingers, under the lip.
- The opposing force of the graphic will hold the pole firmly in place.

# Joining Banners together

- Push each corner of the graphic forward, sliding the hinge across to create the curved graphic.
- Slide the joining bars in place top and bottom, adjusting the grub screws as required with the L Key.
- Ensure you tighten once in place.
- For a finished look you can place the end caps on each far end.

Reverse this process once finished exhibiting to dismantle display.



Thank You from Skyline

*Thank you from*

**Skyline**<sup>®</sup>  
exhibits • graphics • services

